Author Index

AGIUS C., *see* MANGUNWIRYO H.
AINSWORTH A.J., *see* WATERSTRAT P.R.
ANDERSON I.G., *see* NASH G.
See also NASH M.
ANGELIDIS P., BAUDIN-LAURENCIN F. & YOUINOU P.: Effects of temperature on chemiluminescence of phagocytes from sea bass, *Dicentrarchus labrax* L., 281.
AREERAT SOPA, *see* NASH G.
AUSTIN B. & MCINTOSH D.: Natural antibacterial compounds on the surface of rainbow trout, *Salmo gairdneri* Richardson, 275.
AZEVEDO C., *see* VIVARES C.P.

BABA T., IMAMURA J., IZAWA K. & IKEDA K.: Cell-mediated protection in carp, *Cyprinus carpio* L., against *Aeromonas hydrophila*, 171.
BABA, T., IMAMURA, J., IZAWA K. & IKEDA K.: Immune protection in carp, *Cyprinus carpio* L., after immunization with *Aeromonas hydrophila* crude lipopolysaccharide, 237.
BARRAL J., *see* MAURAND J.
BAST L., DALY J.G., DEGRANDIS S.A. & STEVENSON R.M.W.: Evaluation of profiles of *Aeromonas salmonicida* as epidemiological markers of furunculosis infections in fish, 133.
BAUDIN-LAURENCIN F., *see* ANGELIDIS P.
BENDER M.E., *see* THIYAGARAJAH A.
BLACK J.J., *see* FOURNIE J.W.
BLOCH B., *see* OLESEN N.J.
BRADY Y.J. & PLUMB J.A.: Serological comparison of golden shiner virus, chum salmon virus, reovirus 13P2 and catfish virus, 441.
BRUNO D.W. & MCVICAR A.H.: Investigations into pseudobranch lesions of haddock, *Melanogrammus aeglefinus* (L.), caught in Scottish waters, 191.
BURROWS A.S., *see* ELLIS A.E.

CANNING E.U., *see* HAMILTON A.J.
CAPLEY G., *see* WATERSTRAT P.R.
CARSON J. & HANDLINGER J.: Virulence of the aetiological agent of goldfish ulcer disease in Atlantic salmon, *Salmo salar* L., 471.
CHINABUT SUPRANEE, *see* NASH G.
CHUMNONGSITATHUM B., PLUMB J.A. & HILGE V.: Histopathology, electron microscopy and isolation of channel catfish virus in experimentally infected European catfish, *Silurus glanis* L., 351.
CLAYTON G.M. & PRICE D.J.: *Ichthyophthirius multifiliis*: standardization of the infection-response model in *Ameca splendens* (Miller & Fitzsimons), 371.
CONE D., *see* CUSAK R.
CULLIS B., *see* WHITTINGTON R.J.
CUSAK R., RAND T. & CONE D.: A study of bacterial microcolonies associated with the body surface of *Gyrodactylus colemanensis* Mizelle & Kritsky, 1967 (Monogenea), parasitizing *Salmo gairdneri* Richardson, 271.

DALY J.G., *see* BAST L.
DAOUST P.-Y., *see* GOLDES S.A.
DAVIES A.J. & SIENKOWSKI I.K.: Further studies on *Zschokkella russelli* Tripathi (Myxozoa: Myxosporea) from *Ciliata mustela* L. (Teleostei: Gadidae), with emphasis on ultrastructural pathology and sporogenesis, 325.
DE GRAFF P., *see* EVENBERG D.
DEGRANDIS S.A., *see* BAST L.
DESSER S., PATERSON W. & STEINHAGEN D.: Ultrastructural observation on the causative agent of epitheliocystis in the brown bullhead, *Ictalurus nebulosus* Lesueur, from Ontario and a comparison with the Chlamydiae of higher vertebrates, 453.
DYKOVÁ I., LOM J. & FAJER E.: A new haplosporean infecting the hepatopancreas in the penaeid shrimp, *Penaeus vannamei*, 15.

ELLIS A.E., BURROWS A.S. & STAPLETON K.J.: Lack of relationship between virulence of *Aeromonas salmonicida* and the putative virulence factors: A-layer, extracellular proteases and extracellular haemolysis, 309.
—*See also* HASTINGS T.S.
ESPELID S., HOLM K.O., HJELMELAND K. & JORGENSEN T.: Monoclonal antibodies against *Vibrio salmonicida*: the causative agent of cold-water vibriosis ('Hitra disease') in Atlantic salmon, *Salmo salar* L., 207.
See also HJELMELAND K.
See also WAAGBØ R.
EVENBERG D., DE GRAFF P., LUGTENBERG B. & VAN MUISWINKEL W.B.: Vaccine-induced protective immunity against *Aeromonas salmonicida* tested in experimental carp erythrodermatitis, 337.

FAJER E., *see* DYKOVÁ I.
FERGUSON H.W., *see* GOLDES S.A.
FITZSIMONS J.D.: Hepatocellular adenoma in the slimy sculpin, *Cottus cognatus* Richardson, 89.
FOURNIE J.W., BLACK J.J. & VETHAAK A.D.: Exocrine pancreatic adenomas in the greater redhorse, *Moxostoma valenciennsi* Jordan, and in the European flounder, *Platichthys flesus* (L.), 445.
FOURNIE J.W., *see* HAWKINS W.E.
FRYER J.L., *see* HOFFMASTER J.L.
FYFE L., COLEMAN G. & MUNRO A.L.S.: The combined effect of isolated *Aeromonas salmonicida* protease and haemolysin on Atlantic salmon, *Salmo salar* L., compared with that of a total extracellular products preparation, 101.

GASC C., *see* MAURAND J.
GOLDES S.A., FERGUSON H.W., MOCCIA R.D. & DAOUST P.-Y.: Histological effects of the inert

suspended clay kaolin on the gills of juvenile rainbow trout, *Salmo gairdneri* Richardson, 23.
GRAHAM S. (*nee* CHUNG), JEFFRIES A.H. & SECOMBES C.J.: A novel assay to detect macrophage bactericidal activity in fish; factors influencing the killing of *Aeromonas salmonicida*, 389.
GRIZZLE J.M., *see* VENTURA M.T.

HAMILTON A.J. & CANNING E.U.: The production of mouse anti-*Myxosoma cerebralis* antiserum from Percoll®-purified spores and its use in immunofluorescent labelling of Historesin®-embedded cartilage derived from infected rainbow trout, *Salmo gairdneri* Richardson, 185.
HANDLINGER J., *see* CARSON J.
HASTEIN T., *see* SKURDAL J.
HASTINGS T.S. & ELLIS A.E.: The humoral immune response of rainbow trout, *Salmo gairdneri* Richardson, and rabbits to *Aeromonas salmonicida* extracellular products, 147.
HAWKINS W.E., FOURNIE J.W., OVERSTREET R.M. & WALKER W.W.: Rhabdomyosarcoma in the Japanese medaka, *Oryzias latipes* (Temminck & Schlegel) and guppy, *Poecilia reticulata* Peters, 259.
HENKEN A.M., TIGCHELAAR A.J. & VAN MUISWINKEL W.B.: Effects of feeding level on antibody production in African catfish, *Clarias gariepinus* Burchell, after injection of *Yersinia ruckeri* O-antigen, 85.
HERBERT B.W.: Infection of *Cherax quadricarinatus* (Decapoda: Parastacidae) by the microsporidian *Thelohania* sp. (Microsporidia: Nosematidae), 301.
HESSEN D O., *see* SKURDAL J.
HETRICK F.M., *see* SMITH C.A.D.
HILGE V., *see* CHUMNONGSITATHUM B.
HJELMELAND K., STENSVAG K., JORGENSEN T. & ESPELID S.: Isolation and characterization of a surface layer antigen from *Vibrio salmonicida*, 197.
HOFFMAN R.W., FISCHER-SCHERL TH. & PFEIL-PUTZIEN C.: Lymphosarcoma in a wild grayling, *Thymallus thymallus* L.: a case report, 267.
HOFFMASTER J.L., SANDERS J.E., ROHOVEC J.S., FRYER J.L. & STEVENS D.G.: Geographic distribution of the myxosporean parasite, *Ceratomyxa shasta* Noble, 1950, in the Columbia River basin, USA, 97.
—*See also* ESPELID S.
HOLM K.O., *see* ESPELID S.
—*See also* TOTLAND G.K.
HUMPHREY J.D., *see* LANGDON J.S.

IKEDA K., *see* BABA T.
IMAMURA J., *see* BABA T.
IZAWA K., *see* BABA T.

JEFFRIES A.H., *see* GRAHAM S.
JENSEN A.J., *see* JOHNSEN B.O.
JOHNSEN B.O. & JENSEN A.J.: Introduction and establishment of *Gyrodactylus salaris* Malmberg, 1957, on Atlantic salmon, *Salmo salar* L., fry and parr in the River Vefsna, northern Norway, 35.
JORGENSEN T., *see* ESPELID S.
—*See also* HJELMELAND K.

KANEKO II J.J., YAMADA R., BROCK J.A. & NAKAMURA R.M.: Infection of tilapia, *Oreochromis mossambicus* (Trewavas), by a marine monogenean, *Neobenedenia melleni* (MacCallum, 1927) Yamaguti, 1963, in Kaneohe Bay, Hawaii, USA, 295.
KLEEMAN J.M., *see* SPITSBERGEN J.M.
KLESIUS P., *see* PLUMB J.A.

LANGDON J.S., HUMPHREY J.D. & WILLIAMS L.M.: Outbreaks of an EHNV-like iridovirus in cultured rainbow trout, *Salmo gairdneri* Richardson, in Australia, 93.
LI M.F., *see* MOORE A.R.
LIE Ø., *see* WAAGBØ R.
LIGHTNER D., REDMAN R.M., MOHNEY L., SINSKI J. & PRIEST D.: A renal mycosis of an adult hybrid red tilapia, *Oreochromis mossambicus* × *O. hornorum*, caused by the imperfect fungus, *Paecilomyces marquandii*, 437.
LIMSUWAN C., *see* NASH G.
LOM J., *see* DYKOVÁ I.
LOUBES C., *see* MAURAND J.
LOUIS M.J., *see* SMITH C.A.D.
LUGTENBERG B., *see* EVENBERG D.

MCINTOSH D., *see* AUSTIN B.
MCMENEMY M., *see* MOORE A.R.
MANGUNWIRYO H. & AGIUS C.: Studies on the carrier state of infectious pancreatic necrosis virus infections in rainbow trout, *Salmo gairdneri* Richardson, 125.
MAURAND J., LOUBES C., GASC C., PELLETIER J. & BARRAL J.: *Pleistophora mirandellae* Vaney & Conte, 1901, a microsporidian parasite in cyprinid fish of rivers in Herault: taxonomy and histopathology, 251.
MEIER W. & WAHLI T.: Viral haemorrhagic septicaemia (VHS) in grayling, *Thymallus thymallus* L., 481.
MELLERGAARD S., *see* OLESEN N.J.
MIETTINEN M., *see* THOMPSON J.S.
MIYAZAKI T., ROGERS W.A. & SEMMENS K.J.: Gastrointestinal histopathology of paddlefish, *Polyodon spathula* (Walbaum), infected with larval *Hysterothylacium dollfusi* Schmidt, Leiby & Kritsky, 1974, 245.
MOCCIA R.D., *see* GOLDES S.A.
MOHNEY L., *see* LIGHTNER D.
MOLNÁR K.: Presporogonic development of *Sphaerospora renicola* Dykova & Lom, 1982, in the swimbladder of the common carp, *Cyprinus carpio* L., 489.
MOLNÁR K. & RHODE K.: New coccidians from freshwater fishes of Australia, 161.
MOMOYAMA K. & SANO T.: A method of experimental infection of kuruma shrimp larvae, *Penaeus*

japonicus Bate, with baculoviral mid-gut gland necrosis (BMN) virus, 105.
MOORE A.R., LI M.F. & MCMENEMY M.: Isolation of a picorna-like virus from smelt, *Osmerus mordax* (Mitchill), 179.
MURAD A. & MUSTAFA S.: Blood parameters of catfish, *Heteropneustes fossilis* (Bloch), parasitized by metacercariae of *Diplostomulum* sp., 365.
MUSTAFA S., *see* MURAD A.

NAKAMURA R.M., *see* KANEKO II J.J.
NASH G., ANDERSON I.G. & SHARIFF M.: Pathological changes in the tiger prawn, *Penaeus monodon* Fabricius, associated with culture in brackish-water ponds developed from potentially acid sulphate soils, 113.
NASH G., NASH M. & SCHLOTFELDT H.-J.: Systematic amoebiasis in cultured European catfish, *Silurus glanis* L., 57.
NASH G., ROBERTS R.J., SUPRANEE CHINABUT, SOPA AREERAT & LIMSUWAN C.: Emaciation of pond-cultured snakehead, *Channa striatus* (Fowler), 215.
—*See also* NASH M.
NASH M., NASH G., ANDERSON I.G. & SHARIFF M.: A Reo-like virus observed in the tiger prawn, *Penaeus monodon* Fabricius, from Malaysia, 531.
See also NASH G.
NYLUND A., *see* TOTLAND G.K.

OBR T., *see* RODÁK L.
OLESEN N.J., VESTERGARD JØRGENSEN P.R., BLOCH B. & MELLERGAARD S.: Isolation of an IPN-like virus belonging to the serogroup II of the aquatic birnaviruses from dab, *Limanda limanda* L., 449.
OVERSTREET R.M., *see* HAWKINS W.E.

PATERSON W., *see* DESSER S.
PELETIER J., *see* MAURAND J.
PETERSON R.E., *see* SPITSBERGEN J.M.
PFEIL-PUTZIEN C., *see* HOFFMAN R.W.
PLUMB J.A., *see* BRADY Y.J.
PLUMB J.A. & KLESIUS P.: An assessment of the antigenic homogeneity of *Edwardsiella ictaluri* using monoclonal antibody, 499.
—*See also* CHUMNONGSITATHUM B.
POPÍŠIL Z., *see* RODÁK L.
PRICE D.J., *see* CLAYTON G.M.
PRIEST D., *see* LIGHTNER D.

RAND T., *see* CUSAK R.
REDMAN R.M., *see* LIGHTNER D.
RHODE K., *see* MOLNÁR K.
ROBERTS R.J., *see* NASH G.
ROBOTHAM P.W.J., *see* WANSTALL S.T.
RODÁK L., POPÍŠIL Z., TOMÁNEK J., VESELÝ T., OBR T. & VALÍČEK L.: Enzyme-linked immunosorbent assay (ELISA) detection of infectious pancreatic necrosis virus (IPNV) in culture fluids and tissue homogenates of the rainbow trout, *Salmo gairdneri* Richardson, 225.
ROGERS W.A., *see* MIYAZAKI T.
ROHOVEC J.S., *see* HOFFMASTER J.L.

SANDERS J.E., *see* HOFFMASTER J.L.
SANDNES K., *see* WAAGBØ R.
SANO T., *see* MOMOYAMA K.
SCHAT K.A., *see* SPITSBERGEN J.M.
SCHLOTFELDT H.-J., *see* NASH G.
SECOMBES C.J., *see* GRAHAM S.
SEMMENS K.J., *see* MIYAZAKI T.
SHARIFF M., *see* NASH G.
—*See also* NASH M.
SIENKOWSKI I.K., *see* DAVIES A.J.
SINSKI J., *see* LIGHTNER D.
SKURDAL J., TAUGBOL T., FJELD E., HESSEN D.O. & HÅSTEIN T.: *Thelohania contejeani* Henneguy parasitizing the noble crayfish, *Astacus astacus* L., in Norway, 433.
SMITH C.A.D., LOUIS M.J. & HETRICK F.M.: A sequence homologous to the mammalian p53 oncogene in fish cell lines, 525.
SOMMERVILLE C., *see* SUBASINGHE R.P.
SPITSBERGEN J.M., SCHAT K.A., KLEEMAN J.M. & PETERSON R.E.: Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) or Aroclor 1254 on the resistance of rainbow trout, *Salmo gairdneri* Richardson, to infectious haematopoietic necrosis virus, 73.
STAPLETON K.J., *see* ELLIS A.E.
STEINHAGEN D., *see* DESSER S.
STENSVAG K., *see* HJELMELAND K.
STEVENS D. G., *see* HOFFMASTER J.L.
STEVENSON R.M.W., *see* BAST L.
SUBASINGHE R.P. & SOMMERVILLE C.: Scanning electron microscopy study of the causes of mortality in *Oreochromis mossambicus* (Peters) eggs under artificial incubation, 409.

TAUGBOL T., *see* SKURDAL J.
TIGCHELAAR A.J., *see* HENKEN A.M.
THIYAGARAJAH A. & BENDER M.E.: Lesions in the pancreas and liver of an oyster toadfish, *Opsanus tau* (L.), collected from the lower York River, Virginia, USA, 359.
THOMAS J.S., *see* WANSTALL S.T.
THOMAS P.T. & WOO P.T.K.: *Cryptobia salmositica*: an *in vitro* and *in vivo* study on the mechanism of anaemia in infected rainbow trout, *Salmo gairdneri* Richardson, 425.
THOMPSON J.S. & MIETTINEN M.: Ultrastructural pathology of cutaneous tumours of northern pike, *Esox lucius* L., 47.
TOMÁNEK J., *see* RODÁK L.
TOTLAND G.K., NYLUND A. & HOLM K.O.: An ultrastructural study of morphological changes in Atlantic salmon, *Salmo salar* L., during the development of cold water vibriosis, 1.

VALÍČEK L., *see* RODÁK L.
VAN MUISWINKEL W.B., *see* EVENBERG D.
—*See also* HENKEN A.M.
VENTURA M.T. & GRIZZLE, J.M.: Lesions associated with natural and experimental infections of *Aeromonas hydrophila* in channel catfish, *Ictalurus punctatus* (Rafinesque), 397.

VESELÝ T., *see* RODÁK L.
VESTERGARD JØRGENSEN P.E., *see* OLESEN N.J.
VETHAAK A.D., *see* FOURNIE J.W.
VIVARES C.P. & AZEVEDO C.: Ultrastructural observations of the life cycle stages of *Ameson atlanticum* sp. nov., a microsporidian parasitizing *Cancer pagurus* L., 379.

WAAGBØ R., SANDNES K., ESPELID S. & LIE Ø.: Haematological and biochemical analyses of Atlantic salmon, *Salmo salar* L., suffering from cold water vibriosis ('Hitra disease'), 417.
WAHLI T., *see* MEIER W.
WALKER W.W., *see* HAWKINS W.E.
WANSTALL S.T., THOMAS J.S. & ROBOTHAM P.W.J.: The pathology caused by *Pomphorhynchus laevis* Muller in the alimentary tract of the stone loach, *Noemacheilus barbatulus* (L.), 511.
WATERSTRAT P.R., AINSWORTH A.J. & CAPLEY G.: Use of a discontinuous Percoll gradient technique for the separation of channel catfish, *Ictalurus punctatus* (Rafinesque), peripheral blood leucocytes, 289.
WHITTINGTON R.J. & CULLIS B.: The susceptibility of salmonid fish to an atypical strain of *Aeromonas salmonicida* that infects goldfish, *Carassius auratus* (L.), in Australia, 461.
WILLIAMS L.M., *see* LANGDON J.S.
WOO P.T.K., *see* THOMAS P.T.

YAMADA R., *see* KANEKO II J.J.
YOUINOU P., *see* ANGELIDIS P.

Subject Index

Adenoma:
hepatocellular in slimy sculpin, 89;
pancreas, redhorse and flounder, 445.
Aeromonas hydrophila:
carp immunization, 171, 237;
catfish lesions, 397.
Aeromonas salmonicida:
Atlantic salmon, 101, 471;
carp, 337;
rainbow trout, 147, 309, 389;
salmonids, 133, 461.
Ameca splendens, see goodeid fish.
Ameson atlanticum sp. nov., in crab, 379.
Amoebiasis, in catfish, 57.
Anaemia, trout, *Cryptobia*, 425.
Antibacterial compound, on trout surface, 275.
Antibodies:
catfish, to *Yersinia*, 85;
monoclonal, vibriosis, 207;
Edwardsiella, 499.
Antigen:
characterization, vibrio, 197;
Edwardsiella ictaluri, 499.
Aroclor 1254, rainbow trout, 73.
Astacus astacus, see crayfish.

Bacteria, on fluke, 271.
Bactericidal activity, macrophages, 389.
Bass, sea, chemiluminescence of phagocytes, 281.
Birnavirus, isolation from dab, 449.
BMN virus, kuruma shrimp, 105.
Book review:
Bacterial Fish Pathogens; Disease in Farmed and Wild Fish, by B. Austin & D. A. Austin, 279.
Bullhead, brown, epitheliocystis, 453.

Cancer pagurus, see crab.
Carassius auratus, see goldfish.
Carp:
protection against *Aeromonas*, 171, 237, 337;
swim bladder inflammation, 489.
Carrier, IPN virus, trout, 125.
Catfish:
African, antibodies to *Yersinia*, 85;
blood parameters, 365;
channel, Percoll separation of phagocytes, 289;
Aeromonas associated lesions, 397;
European, amoebiasis, 57; CC virus, 351.
Ceratomyxa shasta, distribution, 97.
Channa striatus, see snakehead.
Chemiluminescence, sea bass phagocytes, 281.
Cherax quadricarinatus, see crayfish.
Chlamydiae, ultrastructure, 453.
Ciliata mustela, see rockling.
Clay suspension, effect on trout gills, 23.
Clarias gariepinus, see catfish, African.
Coccidians, Australian freshwater fish, 161.
Cottus cognatus, see sculpin, slimy.
Crab, microsporidian ultrastructure, 379.
Crayfish, microsporidian infection, 301, 433.
Cryptobia salmositica, anaemia, trout, 425.
Cyprinids, microsporidian, 251.
Cyprinus carpio L., *see* carp.

Dab, isolation of birnavirus, 449.
Dicentrarchus labrax, see bass, sea.
Diplostomulum, blood parameters in catfish, 365.
Distribution, myxosporean, Columbia River, USA, 97.

Edwardsiella ictaluri, antigenic homogeneity, 499.
Egg mortality, tilapia, 409.
ELISA, detection of IPNV, 225.
Epitheliocystis, brown bullhead, 453.
Erythrodermatitis, carp, 337.
Esox lucius, see pike.

Feeding:
antibody production, 85;
emaciation in snakehead, 215.
Flounder, pancreatic adenoma, 445.
Flukes:
catfish, 365;
tilapia, 295;
salmon, 35;
trout, 271.
Furunculosis:
Atlantic salmon, 101;
markers, 133;
rainbow trout, 147, 309, 389.

Gene, oncogene in fish cell lines, 525.
Gill disease:
catfish, amoebiasis, 57.
Gills, trout, effect of clay suspension, 23.
Goldfish, *Aeromonas* affecting salmonids, 461, 471.
Goodeid fish, infection-response model, 371.
Grayling:
lymphosarcoma, 267.
viral haemorrhagic septicaemia, 481.
Guppy, rhabdomyosarcoma, 259.
Gut:
infection pathology, stone loach, 511;
nematodes in paddlefish, 245.
Gyrodactylus:
bacteria associated with, 271;
salmon, 35;
trout, 271.

Haddock, pseudobranch lesions, 191.
Haemolysin, from *Aeromonas* on, salmon, 101; trout, 309.
Haplosporean, in shrimp hepatopancreas, 15.
Heteropneustes fossilis, see catfish.
Hitra disease:
haematology and biochemistry, 417;

monoclonal antibodies against, 207;
morphological changes in cells, 1.
Hysterothylacium dollfusi, paddlefish gut, 245.

Ictalurus nebulosus, see bullhead, brown.
Ictalurus punctatus, see catfish, channel.
Ichthyophthirius multifiliis, infection response model, 371.
IHN virus, rainbow trout, 73.
Immune response:
carp to *Aeromonas,* 171, 337;
trout to *Aeromonas,* 147.
IPN virus, rainbow trout, 125, 225.
IPN-like virus, dab, 449.
Iridovirus, rainbow trout, 93.
Isolation, antigen, vibrio, 197.

Kaolin, suspension, effect on trout gills, 23.

Limanda limanda, see dab.
Liver:
adenoma in slimy sculpin, 89;
lesions in oyster toadfish, 359.
Loach, stone, gut infection pathology, 511.
Lymphosarcoma, wild grayling, 267.

Macrophage, bactericidal activity, 389.
Markers, furunculosis, 133.
Medaka, Japanese, rhabdomyosarcoma in small fish, 259.
Melanogrammus aeglefinus, see haddock.
Microsporidian, cyprinids, 251;
crayfish, 301;
crab, 379.
Model, infection-response, 371.
Monoclonal antibodies, against vibriosis, 207; *Edwardsiella,* 499.
Moxostoma valenciennesi, see redhorse.
Mycosis, renal, tilapia, 437.
Myxosoma cerebralis, rainbow trout, 185.
Myxosporeans, distribution in river, 97.
Myxozoan, pathology on rocklings, 325.

Nematodes, paddlefish gut, 245.
Neobenedenia melleni, tilapia, 295.
Noemacheilus barbatulus, see loach, stone.

Oncogene, in fish cell lines, 525.
Opsanus tau, see toadfish.
Oreochromis mossambicus, see tilapia.
Oryzias latipes, see medaka, Japanese.
Osmerus mordax, see smelt.

Paddlefish, nematodes in gut histopathology, 245.
Paecilomyces marquandii, in tilapia, 437.
Pancreas:
adenoma, redhorse and flounder, 445;
lesions, oyster toadfish, 359.
Pathology:
channel catfish virus, 351;
cichlid, mouth brooding, 409;
microsporidian, cyprinids, 251;
myxozoan, rocklings, 325;
paddlefish, nematodes in gut, 245;
pike, cutaneous tumours, 47;
Pomphorhynchus, loach, 511;
salmon, vibriosis, 1.
PCB, rainbow trout, 73.
Penaeus japonicus, see shrimp.
Penaeus monodon, see prawn, tiger.
Penaeus vannamei, see shrimp.
Percoll separation, catfish phagocytes, 289.
Phagocytes, chemiluminescence, sea bass, 281.
Picorna-like virus from smelt, 179.
Pike, cutaneous tumour pathology, 47.
Platichthys flesus, see flounder.
Pleistophora mirandellae in cyprinids, 251.
Poecilia retsiculata, see guppy.
Polyodon spathula, see paddlefish.
Pomphorhynchus laevis, pathology, 511.
Prawn, tiger, reo-like virus, 531.
Protease, from *Aeromonas* on, salmon, 101;
trout, 309.
Pseudobranch, lesions in haddock, 191.

Redhorse, adenoma, pancreas, 445.
Renal mycosis, tilapia, 437.
Resistance, trout to IHNV, 73.
Rhabdomyosarcoma, in small fish, 259.
Rockling, myxozoan pathology, 325.

Salmo gairdneri, see trout, rainbow.
Salmo salar L., *see* salmon, Atlantic.
Salmon, Atlantic:
antibodies against vibriosis, 207;
cell morphology during vibriosis, 1;
furunculosis, 101, 471;
Gyrodactylus infection, Norway, 35;
haematology, vibriosis, 317.
Salmonids, furunculosis, 133, 461.
Sculpin, slimy, liver adenoma, 89.
Separation, Percoll, catfish phagocytes, 289.
Septicaemia, viral, grayling, 481.
Shrimp:
baculovirus, 105;
haplosporean parasite, 15.
Silurus glanis, see catfish, European.
Smelt, picorna-like virus, 179.
Snakehead, emaciation, 215.
Sphaerospora renicola, development in carp, 499.
Sporogenesis, myxozoan in rocklings, 325.
Swim bladder, inflammation, carp, 499.

Taxonomy, microsporidian, cyprinids, 251.
TCDD, rainbow trout, 73.
Temperature, chemiluminescence of phagocytes, 281
Thelohania sp., infection of crayfish, 301, 433.
Thymallus thymallus, see grayling.
Tilapia:
egg mortality, 409;
monogenean infection, 295;
renal mycosis, 437.

Toadfish, oyster, lesions, 359.
Trout, rainbow:
anaemia, *Cryptobia*, 425;
antibacterial compounds on surface, 275;
bacteria on flukes, 271;
clay suspension, effect on gills, 23;
EHNV-like iridovirus, 93;
ELISA detection of IPNV, 225;
IHNV, resistance, 73;
immune response to *Aeromonas*, 147;
IPNV carrier, 125;
Myxosoma, 185;
Tumours:
cutaneous, pike, 47;
lymphosarcoma, wild grayling, 267;
rhabdomyosarcoma, small fish, 259.

Vaccine, furunculosis in carp, 337.
Vibriosis:
antigen, 197;
Atlantic salmon, cell changes, 1;
blood analyses, 417;
monoclonal antibodies against, 207.
Viral haemorrhagic septicaemia, grayling, 481.
Virulence, *Aeromonas*, 309.
Virus:
BMN, kuruma shrimp, 105;
channel catfish, in European catfish, 351.
EHNV-like iridovirus, rainbow trout, 93;
IHN, rainbow trout, 73;
IPN, rainbow trout, 125, 225;
IPN-like birnavirus, dab, 449;
picorna-like, smelt, 179;
reo-like, tiger prawn, 531;
serological comparisons, 441.
Yersinia, catfish antibody production, 85.
Zschokkella russelli, pathology in rocklings, 325.